

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A drug solution filling plastic ampoule comprising:
 - a flexible container body having a mouth and containing a drug solution;
 - a fusion-bonded portion which seals ~~[[a]]the~~ mouth of the container body;
 - and a holder tab connected to the fusion-bonded portion for wrenching off the fusion-bonded portion to open the mouth of the container body, wherein the flexible container body, the fusion-bonded portion and the holder tab are integrally molded from a tubular parison having three or more layers including an innermost layer composed of a polyolefin, an intermediate layer composed of blends of 20 to 50 wt% of polyolefin and 50 to 80 wt% of polycycloolefin to provide the container body with a steam permeation preventing capability and a drug permeation preventing capability and an outermost layer composed of a polyolefin, and
 - a thickness of the intermediate layer is from 11.8 to 35.3% of a total thickness of the three or more layers, and
 - ~~at least one of the layers of the container body is a functional layer having at least one characteristic property selected from the group consisting of a gas permeation preventing capability, a steam permeation preventing capability, a light ray permeation preventing capability, a drug permeation preventing capability and a drug absorption/adsorption preventing capability.~~
2. (Cancelled).

3. (Currently Amended) A drug solution filling plastic ampoule as set forth in claim 1, wherein

the container body includes at least one layer ~~provided as other than the innermost layer and~~ the intermediate layer that is composed of a material containing at least one additive selected from the group consisting of a colorant, a UV absorbing agent and an oxygen absorbing agent, ~~and a layer~~ said intermediate layer being provided inward of the additive-containing layer ~~and having a drug permeation preventing capability.~~

4-10. (Cancelled)

11. (Previously presented) A drug solution filling plastic ampoule as set forth in claim 1, which is an ampoule sequence including a plurality of ampoules connected to one another via severable thin wall portions.

12. (Currently Amended) A drug solution filling plastic ampoule as set forth in claim 1, wherein

~~the functional layer has the steam permeation preventing capability and the drug absorption/adsorption preventing capability;~~

the container body of the plastic ampoule ~~having~~ has a volume of 0.5 to 20mL.

13. (Currently Amended) A production method for a drug solution filling plastic ampoule comprising the steps of:

molding a container body having a mouth by holding a tubular parison between lower split mold pieces and forming a void in the parison, the parison having three or more layers including an innermost layer composed of a polyolefin, an intermediate layer composed of blends of 20 to 50 wt% of polyolefin and 50 to 80 wt% of

polycycloolefin to provide the container body with a steam permeation preventing capability and a drug permeation preventing capability and an outermost layer composed of a polyolefin, at least one of the layers being a functional layer having at least one characteristic property selected from the group consisting of a gas permeation preventing capability, a steam permeation preventing capability, a light ray permeation preventing capability, a drug permeation preventing capability and a drug absorption/adsorption preventing capability, a thickness of the intermediate layer being from 11.8 to 35.3% of a total thickness of the three or more layers;

filling a drug solution in the container body; and

holding ~~[[a]]~~the mouth of the container body between upper split mold pieces to form a fusion-bonded portion which seals the mouth of the container body and a holder tab which is connected to the fusion-bonded portion to be used for wrenching off the fusion-bonded portion to open the mouth of the container body.

14. (Cancelled).

15. (Currently Amended) A drug solution filling plastic ampoule production method as set forth in claim 13, wherein

the parison includes at least one layer ~~provided as other than~~ ~~[[an]]~~the innermost layer and the intermediate layer that is composed of a material containing at least one additive selected from the group consisting of a colorant, a UV absorbing agent and an oxygen absorbing agent, ~~and a layer~~said intermediate layer being provided inward of the additive-containing layer ~~and having a drug permeation preventing capability.~~

16-18. (Cancelled).